

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	22648	heat\$4 same work same cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 12:16
S37	261	heat\$4 same work same cool\$4 and computer same room	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:10
S38	242	heat\$4 same work! same cool\$4 and computer same room	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:12
S39	94	heat\$4 same generat\$4 same (use work) same cool\$4 and computer same room	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:12
S40	14	heat\$4 same generat\$4 same (use work) same cool\$4 same computer same room	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:16
S41	152	measur\$4 same heat same generat\$4 same computer same cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:18
S42	14	measur\$4 same heat same generat\$4 same computers! same cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:19
S43	6	measur\$4 same heat same generat\$4 same computers! same cool\$4 and work	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:19
S44	10	(measur\$4 determin\$4) same heat same generat\$4 same computers! same cool\$4 and work	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:21
S45	295134	room same computers! and cool\$ and (determin\$4 measur\$4) heat and work	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:24
S46	59	room same computers! and cool\$ and (determin\$4 measur\$4) same heat and work	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:34
S47	2	workload same data near center same heat same cool\$4 and cost	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:40

S48	2	workload same data near center same heat same cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:41
S49	39	workload same data near center and heat and cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:41
S50	39	workload same data near center and heat and cool\$4 and cost	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:42
S51	0	workload same data near center and heat and cool\$4 and cost and power and deactivat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:42
S52	39	workload same data near center and heat and cool\$4 and cost and power	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/14 14:42
S53	33	workload same data near center and heat and cool\$4 and cost and power and activat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 11:57
S54	0	workload same data near center same heat near generat\$4 and cool\$4 and cost and power and activat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 11:58
S55	1	workload same data near center same heat near generat\$4 and cool\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 11:58
S56	2	workload same heat near generat\$4 and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:01
S57	0	(determin\$4 measur\$4) with workload same heat near generat\$4 and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:01
S58	1	(determin\$4 measur\$4) with workload and (determin\$4 measur\$4) with heat near generat\$4 and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:04
S59	0	(determin\$4 measur\$4) with work and (determin\$4 measur\$4) with heat near generat\$4 and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:04

S60	7	(determin\$4 measur\$4) with work and (determin\$4 measur\$4) with heat and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:04
S61	6	(determin\$4 measur\$4) with workload and (determin\$4 measur\$4) with heat and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:06
S62	2	(determin\$4 measur\$4) with workload same (determin\$4 measur\$4) with heat and data near center	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:08
S63	2	(determin\$4 measur\$4) with workload same (determin\$4 measur\$4) with heat and data near center and cost	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/15 12:09